




www.pro-cnc.com.pl

PRODUCTION
SPECIALIZED
MACHINES

ul. Głudna 37, 05-620 Błędów
+(48) 538 358 588
biuro@pro-cnc.com.pl



EASY-CUT

WITH CUTTER BAR

The machine cuts branches up to **6 cm** in diameter.

The working element is a scissor-finger system. The machine consists of a main frame on which slats of length from **2.5 m to 4 m** are mounted vertically. The device can retrofit with slats or discs horizontally at the top and with a lower slat cutter.

The whole is rigidly mounted at the front of the tractor or on the front three-point hitch. The machine can be controlled directly from the **tractor's hydraulics**, using a hydraulic distributor or using a joystick. **In modern plantings**, a useful option may be a sensor for bypassing anti-hail posts, thanks to which the cutting system at the top, after encountering an obstacle, automatically bypasses it, and then returns to the preset position. Our company's offer also includes an independent PTO-driven hydraulic system.

After removing the disc attachment from the main frame, we can install others such as:

- circular saws
- mechanical thinning of flower buds
- drilling rigs with auger
- leaf defoliation

MAIN ADVANTAGES OF WORKING WITH **PRO-ONE**

- reduction of costs and working time
- speed of the procedure in the orchard
- easier harvesting from the fruit-bearing wall
- improvement of fruit quality

EASY-CUT WITH CUTTER BAR





EASY-CUT

LEAF DEFOLIATION

The machine produces **compressed air** directed towards tree leaves, which causes them to tear off and **reveal the fruit**.

This allows the fruit to receive **more sunlight** **improving color**. The air stream does not tear the fruit.

The device is mounted on **PRO-CUT/EASY-CUT frames**.

Advantages of use:

- **uniform coloring of fruit on each tree**
- **better harvest quality**
- **easier harvest**

EASY-CUT LEAF DEFOLIATION

